

GWM Haval Jolion

MAY 2021 - ONWARDS
ALL VARIANTS



TESTED
2022



RATING YEAR	2022
VEHICLE TYPE	Small SUV
ENGINE TYPE	Petrol + Hybrid
BUILT FROM	December 2020
ON SALE FROM	May 2021
SERIES	N/A
AIRBAGS	Dual frontal, side chest, side head, centre

The GWM Haval Jolion was introduced in Australia and New Zealand in May 2021. This ANCAP safety rating applies to all petrol and hybrid variants.

In order to confirm integrity of the battery and safety of high voltage electrical systems, additional frontal offset (MPDB) and oblique pole tests were conducted on the Jolion Hybrid. With these additional tests, this ANCAP safety rating is extended to all variants of the GWM Haval Jolion.

Dual frontal, side chest-protecting and side head-protecting (curtain) airbags are standard. A centre airbag which provides added protection to front seat occupants in side impact crashes is also standard.

Autonomous emergency braking (Car-to-Car, Vulnerable Road User, Junction Assist and Backover) as well as a lane support system with lane keep assist (LKA), lane departure warning (LDW) and emergency lane keeping (ELK), and an advanced speed assistance system (SAS) are standard equipment.



RATING APPLICABILITY

VARIANT	BODY TYPE	ENGINE	DRIVETRAIN	AUS	NZ
GWM Haval Jolion Premium	5 door SUV	1.5 litre petrol	2WD	✓	✓
GWM Haval Jolion Lux ♦	5 door SUV	1.5 litre petrol	2WD	✓	✓
GWM Haval Jolion Ultra	5 door SUV	1.5 litre petrol	2WD	✓	✓
GWM Haval Jolion S	5 door SUV	1.5 litre petrol	2WD	✓	-
GWM Haval Jolion Premium	5 door SUV	1.5 litre hybrid	2WD	✓	✓
GWM Haval Jolion Lux ♦	5 door SUV	1.5 litre hybrid	2WD	✓	✓
GWM Haval Jolion Ultra	5 door SUV	1.5 litre hybrid	2WD	✓	✓

ADULT OCCUPANT PROTECTION



90%

34.53 POINTS
OUT OF 38

The passenger compartment of the GWM Haval Jolion remained stable in the frontal offset (MPDB) test. MARGINAL protection was seen for the driver's chest while protection was ADEQUATE for the driver's lower legs. GOOD protection was offered to all other critical body regions. Dummy readings for the passenger showed GOOD protection for all critical body areas.

The front structure of the Jolion presented a lower risk to occupants of an oncoming vehicle in the MPDB test (which evaluates vehicle-to-vehicle compatibility), and a 0.91 point penalty was applied.

In the full width frontal test, protection of the driver dummy was GOOD for all critical body areas. Protection of the rear passenger neck was ADEQUATE, while protection of the chest was MARGINAL with GOOD protection of all other critical body areas.

In the side impact test the rear door latch was found to have broken during the test and a penalty was applied. Protection was MARGINAL for the pelvis of the driver and GOOD for all other critical body regions. In the oblique pole test, protection offered to all critical body regions was GOOD.

Prevention of excursion (movement towards the other side of the vehicle) in the far side impact tests was assessed as ADEQUATE for both the vehicle-to-vehicle impact scenario and the vehicle-to-pole scenario.


The Jolion is equipped with a centre airbag to protect against occupant-to-occupant interaction in side impacts, and it provided GOOD protection for the head of both front seat occupants.

A Rescue Sheet, providing information for first responders in the event of a crash is available, and a multi-collision braking system is fitted.

FRONTAL OFFSET (MPDB)#	6.69	(out of 8)
FULL WIDTH FRONTAL#	7.34	(out of 8)
SIDE IMPACT#	4.96	(out of 6)
OBLIQUE POLE#	6.00	(out of 6)
WHIPLASH PROTECTION	3.73	(out of 4)
FAR SIDE IMPACT	3.81	(out of 4)
RESCUE & EXTRICATION	2.00	(out of 2)

Scaled scores. Total test scored out of 16.00 points.

FRONTAL OFFSET (MPDB) (50km/h)



DRIVER

Head / neck:	4.00 pts
Chest:	2.56 pts
Upper legs:	4.00 pts
Lower legs:	3.73 pts
Deductions:	Nil

FRONT PASSENGER

Head / neck:	4.00 pts
Chest:	4.00 pts
Upper legs:	4.00 pts
Lower legs:	4.00 pts
Deductions:	Nil

COMPATIBILITY

Deductions:	-0.91 pts
-------------	-----------



FULL WIDTH FRONTAL (50km/h)



DRIVER


Head:	4.00 pts
Neck:	4.00 pts
Chest:	4.00 pts
Upper legs:	4.00 pts
Deductions:	Nil

REAR PASSENGER

Head:	4.00 pts
Neck:	3.60 pts
Chest:	1.75 pts
Upper legs:	4.00 pts
Deductions:	Nil

SIDE IMPACT

OBLIQUE POLE



SIDE IMPACT (MDB) (60km/h)

Head:	4.00 pts
Chest:	4.00 pts
Abdomen:	4.00 pts
Pelvis:	2.22 pts
Deductions:	-1.00 pts (door opening)

OBLIQUE POLE (32km/h)

Head:	4.00 pts
Chest:	4.00 pts
Abdomen:	4.00 pts
Pelvis:	4.00 pts
Deductions:	Nil

FAR SIDE IMPACT



SIDE IMPACT (MDB)

Head:	4.00 pts
Neck:	3.37 pts
Chest & Abdomen:	4.00 pts
Pelvis:	No penalty

OBLIQUE POLE

Head:	4.00 pts
Neck:	3.51 pts
Chest & Abdomen:	4.00 pts
Pelvis:	No penalty

OCCUPANT-TO-OCCUPANT

Head contact:	No penalty
---------------	------------



RESCUE & EXTRICATION

Rescue Sheet	●	No penalty
Door Opening / Extrication	●	No penalty
Multi-Collision Braking	●	1.00 pt
Advanced eCall	✗	1.00 pt default

WHIPLASH (REAR IMPACT) PROTECTION



Driver / front passenger:	2.98 pts
Rear passenger:	0.75 pts



84%

41.18 POINTS
OUT OF 49

In the frontal offset test, neck tension in the 10 year dummy indicated MARGINAL protection and the chest results indicated ADEQUATE protection. For the 6 year dummy, protection of the head was ADEQUATE and protection of the neck was MARGINAL.

In the side impact test, protection of all critical body areas was GOOD for both child dummies, and maximum points were scored.

The GWM Haval Jolion is fitted with lower ISOFix anchorages on the rear outboard seats and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed that all of the selected child restraints could be accommodated in all rear seating positions and full points were scored for this assessment.

DYNAMIC TEST (FRONT)	13.18 (out of 16)
DYNAMIC TEST (SIDE)	8.00 (out of 8)
RESTRAINT INSTALLATION	12.00 (out of 12)
ON-BOARD SAFETY FEATURES	8.00 (out of 13)

FRONTAL OFFSET (MPDB) (50km/h)



6 YEAR OLD

10 YEAR OLD

SIDE IMPACT (60km/h)



10 YEAR OLD

6 YEAR OLD

ON-BOARD SAFETY FEATURES

FEATURE	FRONT PASSENGER	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFix	×	●	×	-	-
Integrated child restraints	×	×	×	-	-
Top tether anchorage	×	●	●	-	-
Airbag disabling	×	-	-	-	-

● FITTED TO TEST CAR AS STANDARD ● NOT FITTED TO TEST CAR BUT AVAILABLE AS AN OPTION × NOT AVAILABLE - NOT APPLICABLE

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR

NOTE: The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.



84%

41.18 POINTS
OUT OF 49

CHILD RESTRAINT INSTALLATION*

CHILD RESTRAINT (CRS) TYPE [^]		FRONT ROW	2nd ROW			3rd ROW			
		PASSENGER	LEFT	CENTRE	RIGHT	LEFT	CENTRE	RIGHT	
BELTED	TYPE A	Rearward facing capsule	×	●	●	●	-	-	-
	TYPE A	Rearward facing with harness - convertible (Model A)	×	●	●	●	-	-	-
		Rearward facing with harness - convertible (Model B)	×	●	●	●	-	-	-
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	●	●	-	-	-
		Forward facing with harness - convertible (Model B)	×	●	●	●	-	-	-
	TYPE E	Booster - 4 to 8 years	×	●	●	●	-	-	-
TYPE F	Booster - 4 to 10 years	×	●	●	●	-	-	-	
ISOFIX	TYPE A	Rearward facing capsule	×	●	-	●	-	-	-
	TYPE A	Rearward facing with harness - convertible (Model A)	×	●	-	●	-	-	-
		Rearward facing with harness - convertible (Model B)	×	●	-	●	-	-	-
	TYPE B	Forward facing with harness - convertible (Model A)	×	●	-	●	-	-	-
		Forward facing with harness - convertible (Model B)	×	●	-	●	-	-	-

* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible.

[^] The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.



64%

35.05 POINTS
OUT OF 54

The bonnet of the GWM Haval Jolion provided predominantly GOOD or ADEQUATE protection to the head of a struck pedestrian, while MARGINAL and POOR results were recorded at the rear of the bonnet, at the base of the windscreen, on the stiff windscreen pillars, and front of the bonnet.

Protection of the pelvis was mostly POOR, while the bumper provided GOOD protection to pedestrians' legs.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users such as pedestrians and cyclists. Testing of this system showed overall ADEQUATE performance in pedestrian and cyclist test scenarios, including some reverse (AEB Backover) and turning scenarios.

HEAD IMPACTS	15.04 (out of 24)
UPPER LEG IMPACTS	1.61 (out of 6)
LOWER LEG IMPACTS	6.00 (out of 6)
AEB - Pedestrian (forward)	5.22 (out of 7)
AEB - Pedestrian (backover)	0.50 (out of 2)
AEB - Cyclist	6.68 (out of 9)


AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN, CYCLIST & BACKOVER)

SYSTEM NAME: Pedestrian Safety System
TYPE: Autonomous emergency braking with forward collision warning
OPERATIONAL FROM: 1-85 km/h
DESCRIPTION: System functions in the daytime and night

AUTONOMOUS EMERGENCY BRAKING - PEDESTRIAN														
TEST SCENARIO	AEB + FCW		FORWARD								BACKOVER			
	Adult walking along road		Adult crossing towards kerb (50%)		Adult crossing from kerb (25%)		Adult crossing from kerb (75%)		Child running (obstructed)		Adult crossing side road, vehicle turning		Adult walking behind reversing vehicle	Adult standing behind reversing vehicle
	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	NIGHT	DAY	DAY
PERFORMANCE	GOOD	GOOD	GOOD	WEAK	GOOD	WEAK	GOOD	MARGINAL	GOOD	WEAK	GOOD	WEAK	NOT TESTED	MARGINAL
ADEQUATE														

AUTONOMOUS EMERGENCY BRAKING - CYCLIST					
TEST SCENARIO	FCW	FORWARD			
	Cyclist travelling along road (25%)	Cyclist crossing from kerb (obstructed)	Cyclist travelling along road (50%)	Cyclist crossing (nearside)	Cyclist crossing (farside)
	DAY	DAY	DAY	DAY	DAY
PERFORMANCE	WEAK	GOOD	GOOD	GOOD	ADEQUATE
ADEQUATE					

PEDESTRIAN IMPACT TEST (40 KM/H)





92%

14.87 POINTS
OUT OF 16

The GWM Haval Jolion is fitted with an autonomous emergency braking (AEB) system capable of functioning at highway speeds, a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the AEB (Car-to-Car) system showed GOOD performance with collisions avoided or mitigated in all scenarios, including AEB Junction Assist where the test vehicle can autonomously brake to avoid crashes when turning across the path of an oncoming vehicle.

Tests of lane support system functionality showed GOOD performance, including in the more critical emergency lane keeping test scenarios,

A speed assistance system (SAS) is standard. This system identifies the local speed limit and allows the driver to set the speed accordingly.

A seatbelt reminder system with occupancy detection is fitted to all seating positions. A direct driver monitoring system, with detection and warning for fatigue and distraction, is fitted as standard.

OCCUPANT STATUS

- Seat belt reminders 2.00 (out of 2)
- Driver monitoring 1.00 (out of 1)

SPEED ASSISTANCE SYSTEMS

LANE SUPPORT SYSTEMS

- 2.40 (out of 3)
- 4.00 (out of 4)
- AEB - Car-to-Car 3.47 (out of 4)
- AEB - Junction Assist 2.00 (out of 2)

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: Lane Assist + ELK
OPERATIONAL FROM: 60-150 km/h

EMERGENCY LANE KEEPING (ELK)											
TEST SCENARIO	Oncoming vehicle	Overtaking vehicle (GVT at 72 km/h)		Overtaking vehicle (GVT at 80 km/h)		Road edge				Solid line	
		UNINTENTIONAL	INTENTIONAL	UNINTENTIONAL	INTENTIONAL						
PERFORMANCE	GOOD										

LANE KEEP ASSIST (LKA)				
TEST SCENARIO	Dashed Line		Solid Line	
	PERFORMANCE	GOOD		

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Lane Departure Warning (LDW)	[NOT TESTED]
	Blind Spot Monitoring (BSM)	PASS



92%

14.87 POINTS
OUT OF 16

AUTONOMOUS EMERGENCY BRAKING (CAR-TO-CAR)

SYSTEM NAME: Crash Safety Assist
 TYPE: Autonomous emergency braking with forward collision warning
 OPERATIONAL FROM: 5-150 km/h
 DESCRIPTION: Defaults ON for every journey

HUMAN MACHINE INTERFACE (HMI)		
FUNCTION	Supplementary warning	PASS
	Restraint activation / dynamic retractors	[NOT FITTED]

AUTONOMOUS EMERGENCY BRAKING - CAR-TO-CAR									
TEST SCENARIO	Driving towards a stationary car					TEST VEHICLE SPEED	Turning across the path of oncoming vehicle		
	-50% OFFSET	-75% OFFSET	100% OFFSET	75% OFFSET	50% OFFSET		TARGET VEHICLE SPEED		
	30 KM/H			45 KM/H			55 KM/H		
AEB (10-50 km/h)						10 KM/H			
FCW (30-80 km/h)						15 KM/H			
PERFORMANCE	GOOD					20 KM/H			
							GOOD		

AUTONOMOUS EMERGENCY BRAKING - CAR-TO-CAR										
TEST SCENARIO	Toward car braking lightly		Toward car braking heavily		Driving towards a slower moving car*					
	12m HEADWAY	40m HEADWAY	12m HEADWAY	40m HEADWAY						
	AEB (10-50 km/h)									
FCW (50*-80 km/h)										
PERFORMANCE	GOOD		ADEQUATE		GOOD					

OCCUPANT STATUS

WARNING TYPE	DRIVER	FRONT PASSENGER	REAR PASSENGERS
Occupant Detection	-	●	●
Seat Belt Reminder (Visual)	●	●	●
Seat Belt Reminder (Audible)	●	●	●
Driver Monitoring	●	-	-

SPEED ASSISTANCE SYSTEMS (SAS)

SAS FEATURE	DESCRIPTION
Speed Limit Information Function	Camera based
Speed Limitation Function	System advised

● PASS ● FAIL ✗ NOT AVAILABLE - NOT APPLICABLE

GOOD ADEQUATE MARGINAL WEAK POOR NOT TESTED

SAFETY FEATURES & TECHNOLOGIES

FEATURE / TECHNOLOGY~	AVAILABILITY	
	AUS	NZ
Seat belts (three-point) for all forward-facing seats	●	●
Seat belt pre-tensioners (front)	●	●
Seat belt pre-tensioners (rear outboard) - 2nd row	●	●
Seat belt pre-tensioners (rear centre) - 2nd row	✗	✗
Seat belt pre-tensioners (rear outboard) - 3rd row	-	-
Intelligent seat belt reminder (driver)	●	●
Intelligent seat belt reminder (front passenger)	●	●
Intelligent seat belt reminder (2nd row seats)	●	●
Intelligent seat belt reminder (3rd row seats)	-	-
Airbag - frontal (driver)	●	●
Airbag - frontal (passenger)	●	●
Airbags - side, chest protection (front seats)	●	●
Airbags - side, chest protection (2nd row seats)	✗	✗
Airbags - side, chest protection (3rd row seats)	-	-
Airbags - side, head protection (front seats)	●	●
Airbags - side, head protection (2nd row seats)	●	●
Airbags - side, head protection (3rd row seats)	-	-
Airbag - centre	●	●
Airbag - knee (driver)	✗	✗
Airbag - knee (front passenger)	✗	✗
Airbag disabling switch - automatic (front passenger)	✗	✗
Airbag disabling switch - manual (front passenger)	✗	✗
Head restraints for all seats	●	●
Active bonnet	✗	✗
Adaptive cruise control (ACC)	●	●
Anti-lock braking system (ABS)	●	●
Autonomous emergency braking (AEB) - Car-to-Car	●	●
Autonomous emergency braking (AEB) - VRU	●	●
Autonomous emergency braking (AEB) - Backover	●	●
Autonomous emergency braking (AEB) - Junction Assist	●	●
Automatic emergency call (eCall)	✗	✗
Blind spot monitor (BSM)	●	●
Child presence alert	✗	✗
Electronic brakeforce distribution (EBD)	●	●
Event data recorder (EDR)	●	●
Electronic stability control (ESC)	●	●
Emergency brake assist (EBA)	●	●
Emergency stop signal (ESS)	●	●
Fatigue reminder	●	●
Fatigue monitor / detection	●	●
Forward collision warning (FCW)	●	●
ISOFix	●	●
Lane departure warning (LDW)	●	●
Lane keep assist (LKA)	●	●
Pre-crash systems	✗	✗
Rear cross-traffic alert (RCTA)	●	●
Reversing collision avoidance (camera)	●	●
Roll stability system	●	●
Secondary / multi-collision brake	●	●
Speed assistance - auto / intelligent speed limiter	●	●
Speed assistance - manual speed limiter	●	●
Speed assistance - speed sign recognition & warning	●	●
Smart (intelligent) key	✗	✗
Vehicle-to-infrastructure communication (V2I)	✗	✗
Vehicle-to-vehicle communication (V2V)	✗	✗

TESTED MAKE / MODEL	GWM Haval Jolion Lux RHD + GWM Haval Jolion Hybrid Lux RHD
TESTED VEHICLE(S) BUILT	2022
TESTED BODY TYPE	5 door SUV
TESTED VEHICLE ENGINE	1.5 litre petrol + 1.5 litre hybrid
RATING PUBLISHED	September 2022
RATING UPDATED	October 2024

MODEL VARIANTS:

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

~ Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.

● STANDARD ○ OPTIONAL ✗ NOT AVAILABLE
● NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS